

THE EUROPEAN TRADE COLLECTION

Build better. Finish stronger.

Gypsum boards. Drylining accessories.
Drill bits & grinding discs.



GYPSUM BOARDS IN THREE THICKNESSES

9.5 mm**12.5 mm****15 mm**

Jason materials. Board & Bond distribution.
A focused range for contractors, builders and merchants.

The trade range. One supply partner.

Board & Bond is the sole distributor of Jason in Europe. From our Wembley base, we bring gypsum boards and drylining accessories together for the building trade, alongside drill bits and grinding discs.

01

Gypsum boards

02

Drylining accessories

03

Tool consumables

Six board options. Three thicknesses.

Joint, fix, reinforce and finish.

Drill bits and grinding discs.

BOARD AVAILABILITY

JASON GYPSUM BOARD	9.5 mm	12.5 mm	15 mm
Standard Gypsum Board	Available	Available	Available
Water Resistant Gypsum Board	Available	Available	Available
Moistureshield Gypsum Board	Available	Available	Available
Fire Resistant Gypsum Board	Available	Available	Available
Fire & Water-Resistant Gypsum Board	Available	Available	Available
Fire & Water-Resistant with Insulation Gypsum Board	Available	Available	Available

All six boards are offered in the thicknesses shown. Sheet dimensions, edge profiles, quantities and the remaining technical specification are confirmed for each order. For the insulated option, confirm the insulation build-up separately.

A sound start for interior projects.

Choose the board around the intended space and the complete project specification.



JASON GYPSUM BOARD

Standard Gypsum Board

Paper-faced gypsum board with a gypsum core, reinforcing fibres and additives. A foundation for general internal wall and ceiling drylining.

9.5 mm

12.5 mm

15 mm

- Paper-faced construction
- General internal drylining



JASON GYPSUM BOARD

Water Resistant Gypsum Board

A gypsum core with water-resistant additives and specially treated green protective paper, designed for humid indoor environments.

9.5 mm

12.5 mm

15 mm

- Treated protective paper
- Moisture-sensitive interiors

Confirm the complete finish and any waterproofing required for the intended exposure.

Match the board to the environment.



JASON GYPSUM BOARD

Fire Resistant Gypsum Board

Glass-fibre-reinforced gypsum board with specially treated pink paper facings, for use within a suitable fire-performance-led assembly.

9.5 mm

12.5 mm

15 mm

- Glass-fibre reinforcement
- For a specified wall or lining system

Fire resistance depends on the complete tested assembly. Confirm the supporting system documentation.

JASON SPECIALIST RANGE

MOISTURE SHIELD

MOISTURE MANAGEMENT

Jason Moistureshield Gypsum Board

A board option for projects with moisture-management requirements. Specify the installation location and expected exposure to establish the exact product and supporting technical information.

9.5 mm

12.5 mm

15 mm

The exact Moistureshield designation and performance specification are to be confirmed with Jason. No equivalence with another board is assumed.

When the brief demands more.

Two further board options for project enquiries that combine fire, water resistance and insulation requirements.

01 / FIRE + WATER

Jason Fire & Water-Resistant Gypsum Board

For enquiries requiring both fire and water resistance. Confirm the exact product reference and the supporting wall or ceiling specification.

9.5 mm**12.5 mm****15 mm**

02 / FIRE + WATER + INSULATION

Jason Fire & Water-Resistant with Insulation Gypsum Board

For enquiries with additional insulation requirements. Confirm the board, insulation material and complete construction together.

9.5 mm**12.5 mm****15 mm**

Product-specific ratings, insulation build-up and supporting documentation are confirmed before selection. The 9.5 mm, 12.5 mm and 15 mm options describe the stated board thicknesses.

The details behind a quality finish.

Four Jason accessories to complete your drylining specification.



Jason Joint Gypsum Powder

Gypsum-based powder for plasterboard joint treatment and finishing. Confirm mixing instructions, working time and pack size.




Jason Self Tapping Screw

Heat-treated carbon steel screws for fixing gypsum board to light steel framing. Confirm screw length against the board build-up.



Jason Crack Resistant Seam Paper

Strong fibre paper joint tape with perforations and a centre crease to assist air release and corner positioning.



Jason Metal Corner Guard Tape

Metal-reinforced paper tape for exposed corner protection and a consistent finish around different angles.

Keep the work moving.

Drill bits and grinding discs are part of Board & Bond's wider trade range, alongside our Jason boards and accessories.



TOOL CONSUMABLES

Drill bits

Select the bit around the material, hole dimensions and tool connection.

- Material to be drilled
- Diameter and working length
- Shank / chuck compatibility



TOOL CONSUMABLES

Grinding discs

Match the disc to the grinding task and the exact machine.

- Material and intended task
- Diameter, thickness and bore
- Machine speed and disc rating

Images are illustrative. Product brands, models, dimensions, pack sizes and technical specifications are confirmed with each enquiry. These products are not presented as Jason-branded tools.

Let's supply your next project.

For contractors, dryliners, fit-out teams, builders and merchants across the UK and Europe.

01 Define the product

Select your board and thickness, or list the accessories and tool consumables you require.

02 Share the specification

Include sheet dimensions, edge details, application, performance requirements and quantities.

03 Agree the order

Confirm product information, pricing, quantities, destination and delivery timing before placing your order.

UK DISTRIBUTION OFFICE

Board & Bond

Unit 22, Hallmark Trading Estate
Wembley, London, HA9 0LB
United Kingdom

bb.enquiry@boardandbond.co.uk

+44 (0)20 7100 1508